



COMPAQ
BRASS INDUSTRIES

**Mfg. of All kind of
Brass Parts
Specialist of Sanitary
and Precision Parts.**



Compaq[®]

OXFORD[™]
Premium Quality



www.compaqbrass.com



**WATER IS THE
DRIVING
FORCE OF
ALL NATURE.**





About Industry

- Compaq Brass industries is an Indian based company founded by Mr. Rasik Patel in 1998 where manufacture and export Brass, Bathroom Fitting, Precision Part, Brass CP Fitting Parts.
- Our Manufacturing capabilities rely on our legacy of expertise in crafting Brass bathroom Sanitary integrated with state-of-the-art units spread over 10,000 Sq. ft. engaged in manufacturing high quality products from forging, Casting, Extrusion Rods. Our strength lies in Hand crafting surfacing for luxurious plating for perfect Polishes, Antique, Rustic or Aged Brass finish.

QUALITY MEETS TRUST

✓ **Product & quality certificates**

SO 9001:2015 (TUV Nord)
RoHS Compliance
Achieved SE2A rating scale
of SSI (small Scale industry)
from ONICRA, DAB

✓ **Why us :**

High end customization
Technical expertise
CNC & VMC Machines
Strict Quality Control
On time Delivery of order
Cost effective solutions
Ethical business practices
Rigorous R&D activities.





COMPAQ
BRASS INDUSTRIES



Product & Quality Certificates

UDYAM REGISTRATION CERTIFICATE

भारत सरकार
Government of India
मुख्य, सूक्ष्म एवं मध्यम उद्यम विभाग
Ministry of Micro, Small and Medium Enterprises

UDYAM REGISTRATION NUMBER: UDYAM-GJ-10-0027340

NAME OF ENTERPRISE: COMPAQ BRASS

TYPE OF ENTERPRISE*

S.No.	Classification Year	Enterprise Type	Classification Date
1	2023-23	Micro	28/02/2023

MAJOR ACTIVITY: **MANUFACTURING**

SOCIAL CATEGORY OF ENTREPRENEUR: GENERAL

NAME OF UNIT(S)

S.No.	Name of Unit(s)
1	COMPAQ BRASS

OFFICIAL ADDRESS OF ENTERPRISE

Flat/Door/Block No.	PLOT NO.	Name of Premises/Building
	3527	COMPAQ BRASS
Village/Town	DARED	Block -
Road/Street/Lane	G ROAD	City JAMNAGAR
State	GUJARAT	District JAMNAGAR, Pin 361005
Mobile	9824457054	Email: COMPAQBRASS3527@GMAIL.COM

DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE: 01/04/2004

DATE OF COMMENCEMENT OF PRODUCTION/BUSINESS: 01/04/2004

NATIONAL INDUSTRY CLASSIFICATION CODE(S)

S.No.	NIC 2 Digit	NIC 4 Digit	NIC 5 Digit	Activity
1	24 - Manufacture of basic metals	2420 - Manufacture of basic precious and other non-ferrous metals	24209 - Manufacture of other non-ferrous metals n.e.c.	Manufacturing

DATE OF UDYAM REGISTRATION: 28/02/2023

* In case of graduation (upward/reverse) of status of an enterprise, the benefit of the Government Schemes will be availed as per the provisions of Notification No. S.O. 21193 dated 26.06.2020 issued by the Mo/MSME.

Disclaimer: This is computer generated statement, no signature required. Printed from <https://udyamregistration.gov.in> & Date of printing: 02/03/2023

For any assistance, you may contact:

Certificate of Registration

QUALITY RESEARCH ORGANIZATION

This is to certify that

COMPAQ BRASS INDUSTRIES
PLOT NO-3527, ROAD NO-G, GIDC, PHASE-3, DARED, JAMNAGAR-361004, GUJARAT, INDIA.

has been independently assessed by QRO and is compliant with the requirement of:

ISO 9001:2015

Quality Management System

For the following scope of activities:

MANUFACTURE, EXPORT, IMPORT AND TRADING OF SANITARY PARTS, PRECISION PARTS, BRASS HARDWARE PARTS, HARDWARE FITTING, SANITARY FITTINGS & PARTS.

Date of Certification: 30th January 2025
1st Surveillance Audit Due: 29th January 2026

2nd Surveillance Audit Due: 29th January 2027
Certificate Expiry: 29th January 2028

Certificate Number: 305025013019Q

Head of Certification

Validity of this certificate is subject to annual surveillance audits to be done successfully on or before 365 days from date of the audit. (In case surveillance audit is not allowed to be conducted, this certificate shall be suspended / withdrawn).
The Validity of this certificate can be verified at www.qroert.org.
This certificate of registration remains the property of QRO Certification LLP and shall be returned immediately upon request.

India Office : QRO Certification LLP
142, 1st Floor, Aravind Enclave, Near Paschim Vihar West Metro Station, Delhi-110063, (INDIA)
Website : www.qroert.org, E-mail : info@qroert.org



+91 98244 57054
+91 99045 60027



info@compaqbrass.com



Plot No. 3527, Road No. G,
GIDC Phase-3, Dared,
Jamnagar-04



The Contents

- 1** Brass Nipple
- 2** Brass Cock
- 3** Brass Connector
- 5** Brass Valve
- 8** Brass Health Faucets
- 9** Brass Other Items



Nipple



Brass CP Extension Nipple

<i>code</i>	<i>size</i>	<i>Light</i>	<i>Medium</i>	<i>Heavy</i>
CBI - 1.1	1"	35 gm	40 gm	50 gm
CBI - 1.2	1.5"	52 gm	60 gm	75 gm
CBI - 1.3	2"	70 gm	80 gm	100 gm
CBI - 1.4	2.5"	87 gm	100 gm	125 gm
CBI - 1.5	3"	105 gm	120 gm	150 gm
CBI - 1.6	4"	140 gm	160 gm	200 gm
CBI - 1.7	5"	175 gm	200 gm	250 gm
CBI - 1.8	6"	210 gm	240 gm	300 gm

Brass RO Nipple Set

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 2.1	1/4"	Medium
CBI - 2.2	1/4"	Heavy
CBI - 2.3	3/8"	Medium
CBI - 2.4	3/8"	Heavy



Brass Hex Nipple

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 3.1	½ X ½	40 gm
CBI - 3.2	½ X ½	50 gm
CBI - 3.3	½ X ½	75 gm



Cock


Brass Anglecock



<i>code</i>	<i>size</i>	<i>Light</i>	<i>Medium</i>	<i>Heavy</i>
CBI - 4.1	Turbo	160 gm	180 gm	200 gm
CBI - 4.2	Fusion	160 gm	180 gm	200 gm
CBI - 4.3	Ornamix	-	180 gm	200 gm
CBI - 4.4	Pan	160 gm	180 gm	-
CBI - 4.5	Patti	160 gm	180 gm	200 gm
CBI - 4.6	Orio	-	180 gm	200 gm
CBI - 4.7	Hex	-	-	200 gm
CBI - 4.8	D	-	-	200 gm
CBI - 4.9	Triangle	160gm	180 gm	-

Brass Gardencock

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 5.1	1/2"	180 gm



Brass Pushcock

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 6.1	1/2" - Urinal Male	-
CBI - 6.2	1/2" - Urinal Female	-
CBI - 6.3	1/2" - Drinking Male	-
CBI - 6.4	1/2" - Drinking Female	-
CBI - 6.5	Push Bigcock	*
CBI - 6.6	1/2" - Urinal Male	Heavy
CBI - 6.7	1/2" - Urinal Female	Heavy
CBI - 6.8	1/2" - Drinking Male	Heavy
CBI - 6.9	1/2" - Drinking Female	Heavy



Connector



Brass Elbow

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 7.1	½ X ½	90 gm (MxF)-(FxF)-(MxM)
CBI - 7.2	½ X ½	70 gm (FxF)



Brass Tee

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 8.1	1/2"	90 gm
CBI - 8.2	1/2"	70 gm



Brass Cap

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 9.1	1/2"	Male
CBI - 9.2	1/2"	Female
CBI - 9.3	3/4"	Male
CBI - 9.4	3/4"	Female



Connector



Brass Socket

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 10.1	1/2"	30 gm
CBI - 10.2	1/2"	40 gm
CBI - 10.3	1/2"	50 gm



Brass Washing Machine Adaptor

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 11.1	22 mm	Female
CBI - 11.2	24 mm	Male/Female



Brass Forged Five Way Connector

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 12.1	1"	240 gm



Valve




Brass Forged Ball Valve

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 13.1	1/2"	160gm
CBI - 13.2	3/4"	230gm
CBI - 13.3	1"	330gm
CBI - 13.4	1.1/4"	500gm
CBI - 13.5	1.1/2"	650gm
CBI - 13.6	2"	1000gm

Brass Union Ball Valve

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 14.1	3/4"	255gm
CBI - 14.2	1"	350gm



Brass Mini Ball Valve

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 15.1	1/4"	55 gm (MxF)-(FxF)-(MxM)
CBI - 15.2	3/8"	70 gm (MxF)-(FxF)-(MxM)
CBI - 15.3	1/2"	98 gm (MxF)-(FxF)-(MxM)



Valve



Brass Vertical Check Valve

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 16.1	1/2"	120gm
CBI - 16.2	3/4"	155gm
CBI - 16.3	1"	215gm
CBI - 16.4	1.1/4"	450gm
CBI - 16.5	1.1/2"	600gm
CBI - 16.6	2"	770gm

Brass Non Return Valve

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 17.1	1/2"	100gm
CBI - 17.2	3/4"	140gm
CBI - 17.3	1"	200gm
CBI - 17.4	1"	225gm
CBI - 17.5	1"	300gm
CBI - 17.6	1.1/4"	360gm
CBI - 17.7	1.1/2"	500gm
CBI - 17.8	2"	840gm



Brass Control Valve

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 18.1	1/2"	380gm
CBI - 18.2	3/4"	490m
CBI - 18.3	1"	640gm
CBI - 18.4	1.1/2"	1260gm



Valve



Brass Concealed Valve

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 19.1	Cpvc $\frac{3}{4}$ X $\frac{1}{2}$	160gm
CBI - 19.2	Cpvc 1 X $\frac{3}{4}$	230gm
CBI - 19.3	Upvc $\frac{1}{2}$ X $\frac{1}{2}$	330gm
CBI - 19.4	Upvc $\frac{3}{4}$ X $\frac{1}{2}$	500gm
CBI - 19.5	Upvc $\frac{3}{4}$ X $\frac{3}{4}$	650gm
CBI - 19.6	Upvc 1 X $\frac{3}{4}$	1000gm

Brass Gate Valve

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 20.1	1"	470gm
CBI - 20.2	$\frac{3}{4}$ "	310gm
CBI - 20.3	$\frac{1}{2}$ "	205gm
CBI - 20.4	$1\frac{1}{2}$ "	380gm



Brass Geyser Valve

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 21.1	$\frac{1}{2}$ X $\frac{1}{2}$ "	90 gm



Health Faucets



Dolphin

CBI - 22.1 230gm



Round

CBI - 22.2 155gm



Mahindra

CBI - 22.3 165gm



Pencil

CBI - 22.4 160gm



Nozzle

CBI - 22.5 190gm



Neno

CBI - 22.6 125gm



Square

CBI - 22.7 200gm





Other Items



Brass Ferrule

<i>code</i>	<i>size</i>	<i>weight</i>
CBI - 23.1	1/2"	80 gm
CBI - 23.2	1/2"	90 gm
CBI - 23.3	1/2"	100 gm

Brass Waste Coupling

<i>code</i>	<i>Name</i>	<i>size</i>	<i>weight</i>
CBI - 24.1	Waste Coupling	2.75"	120 gm
CBI - 24.2	Waste Coupling	3"	140 gm
CBI - 24.3	Waste Coupling	3" Flat	150 gm
CBI - 24.4	Waste Coupling	3.25"	150 gm
CBI - 24.5	Waste Coupling	3.50"	180 gm
CBI - 24.6	Waste Coupling	3.50:	200 gm
CBI - 24.7	Waste Coupling	4"	180 gm
CBI - 24.8	Waste Coupling	5"	185 gm
CBI - 24.9	Waste Coupling	6"	200 gm
CBI - 24.10	Pop Up	3"	210 gm
CBI - 24.11	Pop Up	5"	270 gm
CBI - 24.12	Pop Up	7"	340 gm
CBI - 24.13	Urinal (Dome)	3.25"	176 gm



 EASY WATER FLOW



 **Lead Free**
PRODUCTS



Superior Quality

Heavy Duty Cast Brass Construction
Corrosion Resistant, Dezincification
Resistant.

Universal Fit

This Valve Features Standard
Connections to Fit Your Pipes, Vents
and Expansion Tanks.

Easy to Assemble

For gas and non-potable water use,
allows easy water control with
ergonomic vinyl handle.






The items are made of brass, which is
rustproof and weatherproof ensuring a
long service life.





Compaq

BRASS INDUSTRIES



Rasik Patel
+91 98244 57054

Ramnik Patel
+91 99045 60027



Plot No. 3527, Road No. G,
GIDC Phase-3, Dared,
Jamnagar-361004, Gujarat.



info@compaqbrass.com



www.compaqbrass.com

Compaq[®]

OXFORD[™]
Premium Quality